



Specifications Ledvance LED Panel  
Compact 33W 4320lm - 830 Warm  
White | 120x30cm - UGR <25 - Dali  
Dimmable

[View Product](#)

## General Information

|                      |                                    |
|----------------------|------------------------------------|
| SKU                  | 247001                             |
| EAN                  | 4099854004001                      |
| Manufacturer Code    | 4099854004001                      |
| Brand                | Ledvance                           |
| Manufacturer Name    | PL CMFT 1200 P 33W 830 DALIVR LEDV |
| Budgetlight warranty | 5 Years                            |
| Average Lifetime (h) | 70000                              |
| Product Serie        | PANEL COMFORT                      |

## Technical Information

|                             |                 |
|-----------------------------|-----------------|
| Technology                  | LED Integrated  |
| Replaces (Watt)             | 2x36            |
| Wattage                     | 33W             |
| Voltage (V)                 | 220-240         |
| Dimmable                    | Yes, Dali       |
| Colour Code                 | 830 Warm White  |
| Colour temperature (Kelvin) | 3000 Warm White |
| Colour Rendering (Ra)       | 80-89           |
| Colour of Light             | White           |
| Light Colour Options        | Single Color    |

|                        |                            |
|------------------------|----------------------------|
| Including bulb         | Yes                        |
| Luminous Flux (Lumen)  | 4320lm                     |
| Lumen per watt         | 130                        |
| IP-rating              | IP40                       |
| Impact Protection (IK) | IK02 - 0.20 joule          |
| Fixture Connection     | Screwless terminal, 5-Pole |
| Afwerking Reflector    | Frosted                    |
| Powerfactor            | >0.90                      |
| Type product           | LED Panel                  |

## Fixture Information

---

|                       |                                             |
|-----------------------|---------------------------------------------|
| Mounting Method       | Recessed                                    |
| Unified Glare Rating  | < 25 - For hallways, staircases & elevators |
| Optische Afdekking    | PS (Polystyrene)                            |
| Bedrijfstemperatuur   | -10 to +50                                  |
| Emergency Lighting    | No                                          |
| Colour of the Fixture | White                                       |
| Housing               | Aluminium                                   |
| Colour of material    | White                                       |

## Dimensions

---

|                       |          |
|-----------------------|----------|
| Afmetingen LED Paneel | 120x30cm |
| Length (mm)           | 1195     |
| Width (mm)            | 295      |
| Height (mm)           | 11       |

## Sensor Information

---

Type of sensor

No Sensor

## Why Budgetlight?



Guaranteed **budget prices**



Up to **7 years warranty**



**Easy** return process



Long-life **LED solutions**